

## 

Liquified Natural Gas Vehicle



# INTRODUCING A6 LNG 6X4 TRACTOR

The wheels of innovation are transforming the commercial vehicle industry at a rapid pace. Ashok Leyland leads this path of innovation by introducing the LNG long-haul tractor.

This vehicle is powered with A6 LNG Engine. Liquified nitrogen gas is stored in cryogenic tanks at -162°C, allowing large volumes of fuel storage, thereby delivering the longest range in a single fill.

The LNG tractor is also equipped with backup CNG tanks. When the LNG fuel gets exhausted, the vehicle automatically switches to its CNG source.

Compared to conventional fuels, LNG and CNG have lower emissions.

The A6 LNG tractor's advanced and sustainable fuel system propels us towards a prosperous and greener future where Koi Manzil Door Nahin!



## KEY AGGREGATES



#### **Engine**

• Engine: A6 LNG Engine

• Power: 240 kW @ 2200 rpm

• Torque: 1200 Nm @ 1200-1800 rpm




#### **Automated Fuel Selection System**

Tank Capacity;

• LNG: 990 L (behind cabin)

• CNG: 160 L (on chassis RHS)



#### **AVTR Platform**

- Heavy Duty aggregates
- HSS Frame



#### **Gearbox**

• 9-speed synchromesh with crawler gear



#### **Rear Axle**

Fully floating single reduction hypoid axle

### FEATURES



Ashok Leyland is the first OEM in India to offer an engine with flexi fuel technology. Intelligent onboard system automatically switches from LNG to CNG and vice versa based on availability

LNG offers a longer range than CNG

LNG being stored in liquid form, packs more energy than CNG in a lesser space – making it an ideal fuel for long-distance trucking requirements

With proven aggregates from the AVTR modular platform
With over 1,50,000 + AVTR vehicles running on Indian roads.
AVTR platform provides unmatched durability and vehicle uptime


Can be offered on a wide range of vehicle configurations

With the modular AVTR platform, customers can configure vehicles based on their specific application and needs

#### **Premium N Cabin**

Premium N cabin with Best-in-class features like tiltable – telescopic steering, suspended seats for driver comfort and less fatigue





## A6 LNG 6X4 TRACTOR

#### **TECHNICAL SPECIFICATIONS**

GCW	55000 kg
Engine type	A Series 6 cylinder, LNG/ CNG engine
Max power	240 kW @ 2200 rpm
Max torque	1200 Nm @ 1200 – 1800 rpm
Clutch	430 mm diameter - with air assisted hydraulic booster
Gearbox	9-speed synchromesh with crawler gear
Front axle	Forged I section - Reverse Elliot type
Rear axle	Fully floating single reduction hypoid axle
Front suspension	Parabolic suspension
Rear suspension	Non-reactive suspension
Chassis frame	Bolted construction with constant width over chassis
Brakes	Full air dual line brakes with ABS
Tyres	Low resistance tubeless Tyre - 295/ 80 R22.5
Cabin	N - Premium cabin
Max speed	80 kmph
Wheelbase	3900 mm
Turning circle diameter	14300 mm
Fuel tank	1 x 990L LNG Cryogenic tank, 4 x 40L CNG tank (T1)
Vehicle configuration	Cabin chassis





### **Registered Office**

Ashok Leyland Limited, No. 1, Sardar Patel Road, Guindy, Chennai - 600032

Telephone: 91 44 2220 6000 | E-mail: reachus@ashokleyland.com

Website: www.ashokleyland.com | Helpline Number: 1800 266 3340